


## Craftsman Quiet 208cc Dual-Stage Snowblower



\$799.99

### Description      **Item # 07188972000P Model # 31AS68SF799**

Move more snow quietly with a more powerful engine and save time out in the cold. This 26 in. Craftsman® Dual-Stage Snowblower has a 208cc\* 4-cycle OHV Quiet engine, and 2-way chute control. 208cc\* 4-cycle OHV Craftsman® Quiet engine provides more power, longer life, and improved fuel economy - no mixing of gas and oil required. The Craftsman Quiet engine is up to 45% quieter than our standard 208cc engine. Move more snow with a more powerful engine and save time out in the cold. Push-button electric start allows for easy and sure starts in cold temperatures.

- Craftsman 208cc Quiet engine - 45% quieter
- Push-button electric start allows for easy and sure starts in cold temperatures
- 26 in. clearing width and 21 in. intake height lets you clear more snow with each pass, ideal for medium to large paved and gravel driveways and sidewalks
- 12 in. serrated steel auger and 12 in. impeller breaks up hard-packed snow and discharges heavy, wet snow
- 6 forward and 2 reverse, power-propelled speeds save time and energy, allowing operator to adjust speeds to match need
- 2 Way chute control - 190 degree chute rotation control with the ease of a joystick to discharge the snow where you want it, without leaving the operator's position
- Extended chute design keeps a tighter discharge pattern to increase throwing distance and reduce snow blow back
- 15 in. x 5 in. X-Trac tires provide superior traction in heavy snow conditions
- Glide-Tech™ skid shoes eliminate garage rust stains and driveway damage, by sliding along pavers and bricks
- Single hand operation eliminates starts and stops, freeing up a hand for on-the-go adjustments
- Mitten-grip starter handle - easy to grasp and turnover recoil start while wearing gloves
- Plow style handles for comfort and control with panel design for convenient shear pin storage
- 2-year limited warranty
- Limited lifetime warranty on upper and lower chute

**Added on January 01, 2000**

# Specifications

## **Dimensions and Capacity:**

Impeller Diameter: 12 in.

Overall Footprint / Assembled Dimensions: 29" x 32.5" x 48.25" x 205"

Intake Height (In.): 21

## **Color and Styling:**

Color/Finish: Red

## **Product Overview:**

Number of Stages: Dual Stage

Auger Type: Serrated steel auger

Usage: Heavy Use

Drift Cutters: No

Clearing Width (In.): 26

Single Hand Control: Yes

Skid Shoes: Glide-Tech

## **Handles:**

Handles Fold For Easy Storage: No

Handle Type: Deluxe Panel

Heated Handles: No

## **Drive System:**

Number of Forward Speeds: 6

Number of Reverse Speeds: 2

Steerable: No

## **Motor-Engine:**

Electric Start: Yes

Starter Type: Electric

Engine Displacement (cc): 208

Engine Cycles: 4-cycle

## **Wheels & Tires:**

Rim Material: Steel

Tire/Wheel Size: 15" x 5"

Tire Type: Inflatable

**Controls, Safety:**

Safety Override: Yes

**Convenience:**

Headlights: No

**Chute System:**

Chute Control: Joystick

Maximum Chute Rotation: 200 deg.

Chute Material: Polymer

Extended Chute: Yes

**Warranties & Coverage:**

General Warranty: 2 Year