



## **Material Safety Data Sheet**

Issue Date: October 27, 2008 Revised Date: March 20, 2013

Reason: Revised to Current Date.

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: Super Lube® Grease

Item No's: 82340, 21006, 21010, 21030, 21036, 41150, 41160, 41050, 41030, 41120, 41140, 21013, 21014, 21015, 11520 /1, /0, /00, /000 identifies NLGI-1, 0, 00, or 000 consistency.

**Product use:** Lubricant

**Company address:** 

Synco Chemical Corporation 24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716 Contact Information: Telephone: 631-567-5300 Emergency telephone: 800-424-9300 Internet: <u>www.super-lube.com</u> E-Mail: info@super-lube.com

### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW				
Physical state: Semi-solid	WHMIS haza	rd class: Not Hazardous		
Color: Translucent	HMIS codes:	Health - 0		
Odor: Mild		Fire - 1		
		Hazard - 0		
WARNING:		Other - 0		
MAY CAUSE SKIN OR EYE IRRITATION				

Relevant routes of exposure:	Skin, Eyes
Potential Health Effects	
Inhalation:	Not expected to cause respiratory tract irritation during normal conditions of use.
Skin contact:	Repeated or prolonged contact may be irritating to skin.
Eye contact:	Contact with eyes may cause irritation.
Ingestion:	Not expected under normal conditions of use.
Existing conditions aggravated	None generally recognized.

Existing conditions aggravate by exposure:

#### See Section 11 for additional toxicological information.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Components</u>	<u>%</u>	ACGIH TLV	OSHA PEL	<u>OTHER</u>
Polyalphaolefin 68037-01-4	<85	5mg/m <sup>3</sup> TWA (mist:) 10mg/m <sup>3</sup> STEL (mist:)	5mg/m <sup>3</sup> TWA (mist:)	None
White mineral oil (petroleum) 8042-47-5	<25	5mg/m <sup>3</sup> TWA (mist:) 10mg/m <sup>3</sup> STEL (mist:)	5mg/m <sup>3</sup> TWA (mist:)	None
Fumed Silica 68611-44-9	<5	10mg/m <sup>3</sup> TWA	6mg/m³ TWA	None
Polytetrafluoroethylene 9002-84-0	<4	Not established	Not established	None
Antioxidant 41484-35-9	<2	Not established	Not established	None
Polyglycol 025322-69-4	<1			HA WEEL opm Total crosol only
Polyisobutylene 9003-27-4	<0.5	Not established	Not established	None

## 4. FIRST AID MEASURES

Inhalation:	Remove to fresh air. If discomfort persists seek medical attention.
Skin contact:	After contact with skin, wash immediately with plenty of water. Immediately flush skin with plenty of water (using soap, if available). Get medical attention if symptoms develop and persist.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Ingestion:	Do not induce vomiting. Get medical attention.

# 5. FIRE-FIGHTING MEASURES

Flash point:	>428° F (220° C) COC
Auto ignition temperature:	Not available
Flammable/Explosive limits-lower %	: N/A
Page <b>2</b> of <b>6</b>	

Flammable/Explosive limits-upper %: N/A

Extinguishing media:	Carbon dioxide (CO2). Dry chemical. Foam.
Special fire fighting procedures:	None
Unusual fire or explosion hazards:	None
Hazardous combustion products:	Oxides of carbon.
Sensitivity to mechanical impact:	Not available
Sensitivity to static discharge:	Not available

### 6. ACCIDENTAL RELEASE MEASURES

Environmental precautions:	No special precautions required.
Clean-up methods:	Scrape up and dispose of in accordance with local and national regulations.

7. HANDLING AND STORAGE			
Handling:	Good manufacturing procedures should be followed in handling and storage.		
Storage:	Keep in cool, dry area.		
Incompatible products:	Oxidizing agents.		

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls:	Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.		
Respiratory protection:	If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted, NIOSH approved, organic vapor/particulate respirator.		
Skin protection:	Nitrile or PVC, impermeable gloves.		
Eye/face protection:	Safety glasses with side-shields.		
See Section 3 for exposure limits.			

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Semi-solid
Color:	Translucent
Odor:	Mild
Odor Threshold:	Not determined
Vapor pressure:	Not determined
pH:	Not determined
Boiling point/range:	Not applicable
Melting point/range:	None
Specific gravity:	.89
Vapor density:	Not available
Evaporation rate:	Not available
Solubility in water:	Not soluble
Partition coefficient (n-octano/water):	Not determined
VOC content:	Essentially zero

#### **10. STABILITY AND REACTIVITY**

**Stability:** 

Stable

Hazardous polymerization: Will not occur.

Hazardous decomposition products: None under normal use.

Incompatibility: Oxidizing agents.

Conditions to avoid:

None known

### **11. TOXICOLOGICAL INFORMATION**

Product toxicity data: Not Toxic

Toxicologically synergistic products: Not available

Refer to the following for irritancy of Product, Sensitization to Product, Carcinogenicity, Reproductive Toxicity, Teratogenicity, and Mutagenicity.

#### **Ingredient Toxicity Data & Carcinogen Status**

Components	LD50s & LC50s	Other LD50s and LC50s	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen	ACGIH- Carcinogen
Polyalphaolefin	None	None	No	No	No	No
Proprietary						
MineralOil(petroleum)	OralLD50(Rat)					
8042475	>5000mg/kg	None	No	No	No	No

Antioxidant	Oral LD50 (Rat)	None	No	No	No	No	
41484-35-9	>5000 mg/kg						
	Dermal						
	LD50(Rabbit)						
	>3000 mg/kg						
	Inhalation LC50						
	(Rat)						
	>3.5 mg/m <sup>3</sup>						
Fumed Silica	Oral LD50 (Rat)	None	No	No	No	No	
68611-44-9	>5000 mg/kg						
Polytetra-	Not determined	None	No	No	No	No	
fluoroethylene							
9002-84-0							
Polyglycol	Oral LD50 (Rats)	None	No	No	No	No	
025322-69-4	>10,000 mg/kg						
	Dermal LD50						
	(Rabbit)						
	>10,000 mg/kg						

#### Literature Referenced Target Organ & Other Health Effects

Components	Health Effects/Target Organs
Polyalphaolefin	No target organs
Proprietary	
White mineral oil (petroleum)	Irritant
8042-47-5	
Antioxidant	No target organs
41484-35-6	
Fumed Silica	Nuisance dust, irritant to eyes and skin
68611-44-6	
Polytetrafluoroethylene	Irritant
9002-84-0	
Polyglycol	No target organs
025322-69-4	

## **12. ECOLOGICAL INFORMATION**

**Ecological information:** 

General Notes: Water hazard class 1 (self assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground or sewage systems.

#### **13. DISPOSAL CONSIDERATIONS**

#### Information provided is for unused product only.

**Recommended method of disposal:** Dispose of in accordance with federal and local regulations.

### **14. TRANSPORT INFORMATION**

Proper shipping name:	Not regulated
Hazardous class or division:	None
Identification number:	None
Packing group:	None
International Air Transportation (I	САО/ІАТА):
Proper shipping name:	Not regulated
Hazardous class or division:	None
Identification number:	None
Packing group:	None
Water Transportation (IMO/IMDG	):
Proper shipping name:	Not regulated
Hazardous class or division:	None
Identification number:	None
Packing group:	None
Marine pollutant:	None
15. REGU	JLATORY INFORMATION
Canada Regulatory Information	
Cunudu Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Domestic Substances List.
United States Regulatory Information	<u>on</u>
TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
New Zealand Regulatory Information	<u>on</u>
	All components are listed or are exempt from listing on
New Zealand HSNO Status:	the Hazardous Substances and New Organisms Act.
New Zealand HSNO Status: <u>European Union Regulatory Inform</u>	the Hazardous Substances and New Organisms Act.

## SECTION 16: OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Product Regulations.

Data prepared by Environment protection department.